BENGAL SECRE[TARIAT] LIBRARY

POSTHUMOUS PAPERS,

BEQUEATHED TO

THE HONOURABLE THE EAST INDIA COMPANY,

AND

PRINTED BY ORDER OF THE GOVERNENT OF BENGAL.

# ICONES PLANTARUM ASIATICARUM.

## Part IV.

## DICOTYLEDONOUS PLANTS.

BY THE LATE

WILLIAM GRIFFITH, ESQ., F.L.S.,

MEMBER OF THE IMPERIAL ACADEMY NATURÆ CURIOSORUM AT BONN: CORRESPONDING MEMBER OF THE ROYAL BOTANICAL SOCIETY OF RATISBON, OF THE ROYAL ACADEMIES OF SCIENCE AT TURIN AND CHRISTIANA, HORTICULTURAL AND ENTOMOLOGICAL SOCIETIES AND SOCIETY OF ARTS, LONDON: MEMBER AND FOR SOME TIME VICE-PRESIDENT OF THE AGRI-HORTICULTURAL SOCIETY OF INDIA.

*Assistant Surgeon on the Madras Establishment: and a short time Officiating Superintendent of the Honorable Company's Botanic Garden, Calcutta, and subsequently Civil Assistant Surgeon, Malacca.*

ARRANGED

BY JOHN M'CLELLAND, F.L.S.,

*Surgeon, Bengal Service.*

Calcutta:

PRINTED BY A. B. COSHAN.

1854.

| | Plate. | Notulæ pa |
|---|---|---|
| Athroisma serrata Gr, .. .. .. .. | 585 fig. ix. .. | 477 |
| Aurantiaceæ, .. .. .. .. | 585A. fig. xiv. 587 „ iii. .. | 498 |
| Averrhoa carambola, .. .. .. .. | 540 .. | 455 |
| Avicennia, .. .. .. .. .. | 448 „ vii. .. | 190 |
| Bæhmeria melastomoides Gr. .. .. .. | 562 .. | 386 |
| Bæobotrys indica, .. .. .. .. | 500 „ ii. .. | 398 |
| Balsamiflua deltoides Gr., .. .. .. .. | 526 .. | 382 |
| Barringtonia conoidea, Gr., .. .. .. | 635, 636 „ i. .. | 656 |
| Barringtonia racemosa, .. .. .. .. | 636 „ ii. .. | 659 |
| Batis spinosus, .. .. .. .. | 562 „ i. .. | 404 |
| Begoniæ sp.,.. .. .. .. .. | 612 .. | 583 |
| Berberis asiatica, .. .. .. .. | 648 .. | 583 |
| Bergera Koenigii, .. .. .. .. | 586 „ iii. .. | 497 |
| Betæ sp., .. .. .. .. .. | 525 .. | 338 |
| Bixineæ, .. .. .. .. | 585A. „ xiii. .. | 611 |
| Blackwellia sp., .. .. .. .. | 585A. „ x. .. | 584 |
| Bonnaya bracteata, .. .. .. .. | 418 „ iii. .. | 107 |
| Bonnayæ sp., .. .. .. .. | 458 „ v. .. | 108 |
| Boragineæ sp., .. .. .. | 453, 454, 555 .. | 206 |
| Boragineæ, .. .. .. .. .. | 451 .. | 206 |
| Boswelliæ sp., .. .. .. .. | 585A. „ ii. .. | 489 |
| Boueia macrophylla, Gr., .. .. .. | 567 „ iv .. | 420 |
| Bruiguiera parietosa, Gr., .. .. .. | 641 .. | 670 |
| Bruiguiera Rheedii, .. .. .. .. | 635 „ iv. .. | 671 |
| Bryoniæ sp., .. .. .. .. | 616 „ vii. .. | 594 |
| Buchneræ sp., .. .. .. .. | 419 „ i. .. | 126 |
| Buddleæ sp., .. .. .. .. | 422 .. | 125 |
| Callicapa lanata, .. .. .. .. | 448 „ ii. .. | 173 |
| Calotropis gigantea, .. .. .. .. | 397, 398 .. | 58 |
| Calophyllii, sp., .. .. .. .. | 585 A. „ iv. .. | 608 |
| Camellia (Thea) Bohen, .. .. .. .. | 602 .. | 553 |
| Camellia caudata, Gr., .. .. .. .. | 601 „ ii. .. | 559 |
| Camellia simplicifolia, .. .. .. .. | 604 „ ii. .. | 560 |
| Camellia (Thea) Theifera, Gr., .. .. .. | 601 „ i. iii. .. | 558 |
| Campanulæ, .. .. .. .. .. | 483 .. | 279 |
| Cansiera zizyphifolia, Gr., .. .. .. | 537 .. | 360 |
| Capparis sp., .. .. .. .. .. | 608 .. | 579 |
| Cardiolophus decussata, .. .. .. .. | 417 „ i. .. | 105 |
| Cardiopteris hamulosa, .. .. .. .. | 598 „ i. ii. iii. | 542 |
| Cardiopteris halicacabun, .. .. .. .. | 599 „ iii. .. | 546 |
| Careya herbaceæ, .. .. .. .. | 634 A. „ i. .. | 660 |
| Careya pendula, .. .. .. .. | 634 A. .. | 662 |

| | Plate. | | Notulæ page. |
|---|---|---|---|
| Carica papya, | 584 | fig. ii. | 570 |
| Carpini sp., | 565 | „ i. | 406 |
| Caryophyllea | 579 | .. | .. |
| Centranthera hispida, | 463 | „ 15. | 128 |
| Ceratostema angulata, Gr., | 502 | .. | 302 |
| Ceratostema miniata, Gr., | 504 | .. | 302 |
| Ceratostema variegata, Gr., | 502 | .. | 302 |
| Ceratostema nana, Gr., | 505 | .. | 303 |
| Champereyæ, sp., | 537 | .. | 362 |
| Chenopodium ilecifolium, | 521 | .. | 337 |
| Chiliandra obovata, Gr., | 448 | .. | 150 |
| Chloranthi, sp., | 547 | .. | 383 |
| Choripetalum, sp., | 500, 499 | „ i. | 298 |
| Cirsii, sp., | 470 | .. | 246 |
| Cissampelos, | 486, 497 | „ iii. | 308, 310 |
| Cissampelos convolvulacea, | 496 | „ ii. | 312 |
| Citrus scandens, Gr., | 587 | „ i. | 954 |
| Clerodendri, sp., | 445 | .. | 711 |
| Clematis, | 645 | „ vii. | 700 |
| Clerodendron viscosum, | 458 | „ 20 | 161 |
| Clinta grandiflora, | 460 | „ vii. | 149 |
| Clypea, | 497 | „ ii. | 304 |
| Clypeæ, | 462 | .. | 306 |
| Codonopsis, sp., | 412 | .. | 281 |
| Cookia, | 587 | „ ii. | 496 |
| Combreti, sp., | 643 | .. | .. |
| Compositæ, | 470 | .. | 252 |
| Compositæ, | 466 | .. | 219 |
| Congea vestita, Gr., | 458 | „ 21 | 174 |
| Conocarpus, | 588 | „ i. | .. |
| Coptis teeta, | 660 | „ ii. | 733 |
| Coriaria nepalensis, | 588 | .. | 458 |
| Cornus, | 639A. | „ ii. | 680 |
| Cornus, | 634 | „ ii. | 680 |
| Corydalis, sp., | 658 | „ ii. iii. | .. |
| Cratægi, sp., | 562 | .. | 454 |
| Croton tiglium, | 584 | „ iv. | 482 |
| Cryptolepis Buchananii, | 410A. | „ iv. | 80 |
| Cucurbitaceous Fruit, | 616 | „ vii. | 585 |
| Cucurbita kunkree. | 617 | „ i. ii. | 588 |
| Cunoniaceæ, | 486 | „ i. | 429 |
| Cupressus tortulosus, | 456 | .. | 26 |

| | Plate. | | Notulæ page. |
|---|---|---|---|
| Gordoniæ, sp., | 900, 585A. | fig. vi.. | 562 |
| Gouania leptostachya, | 585 | „ ii. | 493 |
| Guarea disyphonia, Gr., | 585A. | „ i. | 504 |
| Gymnema malayana, Gr., | 394 | | 56 |
| Gymnemæ, sp.. | 466 | | 58 |
| Gymnobotrys, sp., | 558 | „ i. | 385 |
| Gynocardia, | 585A. | „ ix.. | 611 |
| Guarea, sp., | 588 | „ ii. | 504 |
| Hamamelidæ, sp., | 633 | | 681 |
| Hemigymnia Macleodii, | 448 | „ vi. | 184 |
| Henslovia pubescens, | 664 „ ii. 552 | „ ii. iii. | 404 |
| Hensloviæ, sp., | 564 | „ ii. | 406 |
| Heritiera littoralis, Gr., | 585A. | „ ii. | 532 |
| Heteropyxis, | 594 | | 524 |
| Hippocratea angulata, Gr., | 581 | „ i. | 473 |
| Hippocratea serra, Gr., | 582 | „ i. | 473 |
| Hippocastaneæ, sp., | 582 | „ 3 | 542 |
| Hiræ, sp., | 581 | „ iv. | 469 |
| Homalinea, | 613 | „ i. ii. | 583 |
| Hoya viridiflora, | 387, 388 | | 37 |
| Hoya, | 410A. | „ 2 | 38 |
| Hoya velutina, | 410A. | „ 7 | 40 |
| Hoya volubilis, | 410A. | „ 3 | 39 |
| Hyalostema, | 653 | | 715 |
| Hydrangeæ, | 569 | „ i. | 429 |
| Hydrongeæ, | 571 | | 429 |
| Hymenia courbaril, | 578 | „ *a* | 469 |
| Hyoscyamus angulata, Gr., | 412 | | 96 |
| Hyoscyamus squarrosus, Gr., | 413 | | 95 |
| Hypecoum, | 659 | | 722 |
| Hyperanthera moringa, | 609 | „ i. ii.*b*. | 572 |
| Hyperici, sp., | 605 | „ i. | 569 |
| Impatiens malayanis, Gr., | 576 | „ ii. | 457 |
| Impatiens, sp., | 576 | „ i. | 459 |
| Ixonanthes, sp., | 589 | „ ii. | 489 |
| Ixora decipiens, | 474 | „ ii. | 271 |
| Juniperis recurva, | 373, 374 | | 26 |
| Jenkinsia assamica, Gr., | 537 | „ ii. | 370 |
| Justiciæ, sp., | 426 | | 143 |
| Kohautiæ, sp., | 477 | | 265 |
| Kydia jujubifolia, Gr., | 595 | | 534 |
| Lagerstrœmia parviflora, | 592 | „ i. | 510 |
| Lamii, sp., | 449 | „ i. | 201 |

| | Plate. | | Notulæ page. |
|---|---|---|---|
| Lawsonia inermis, .. .. .. .. | 590 | fig. ii... | 509 |
| Leea gigantea, Gr., .. .. .. .. | 645 | .. | 697 |
| Leea simplicifolia, .. .. .. .. | 645 | „ i. .. | 697 |
| Leea sambucina, .. .. .. .. | 636 | .. | 698 |
| Leontice secunda, Gr., .. .. .. .. | 647 | .. | 701 |
| Leptonium oblongifolium,.. .. .. .. | 236 | .. | 368 |
| Leptospartion grandiflora, Gr., .. .. .. | 591 | .. | 511 |
| Loranthus leucosiphon, Gr., .. .. | 619, 621, 622, 623 | .. | 623 |
| Limnophylla, sp., .. .. .. .. | 416 | „ i. .. | 99 |
| Limnophylla hetrophylla, .. .. .. | 416 fig. 2, 458 | „ ii. .. | 97 |
| Limnophylla sessiliflora, .. .. .. .. | 418 | „ v. .. | 99 |
| Limocella diandra, .. .. .. .. | 458 | „ 12.. | 102 |
| Limoniæ, sp., .. .. .. .. .. | 586 | „ ii. .. | 494 |
| Lonicera, .. .. .. .. .. | 430 | „ ii. .. | 257 |
| Loranthus bicolor, .. .. .. .. | 618 | .. | .. |
| Loranthus coccineous, .. .. .. .. | 626 | .. | 620 |
| Loranthus oleoides, .. .. .. .. | 627 | .. | .. |
| Loranthus farinaceous, .. .. .. .. | 620 | .. | 620 |
| Loranthus pentapetalis, .. .. .. .. | 624, 625 | .. | 617 |
| Lophophyllum bicristata, Gr., .. .. .. | 491 | .. | 313 |
| Lùffa fœtida, .. .. .. .. .. | 616 | „ i. .. | 592 |
| Lumpitzera, .. .. .. .. .. | 944A. | .. | 684 |
| Lycium armatum, Gr., .. .. .. .. | 415 | .. | 95 |
| Lycimachiæ, sp., .. .. .. .. | 484 | .. | 290 |
| Lysionotus ternifolius, .. .. .. .. | 440 | „ vi.. | 148 |
| Lythrarieæ, .. .. .. .. .. | 590 | „ i. .. | 511 |
| Magnolia, sp., .. .. .. .. | 655 | .. | .. |
| Magnolia, sp., .. .. .. .. | 656 | .. | .. |
| Mangifera cæsia, .. .. .. .. | 567 | „ ii. .. | 415 |
| Marlea begonifolia, .. .. .. .. | 639 | „ iii... | 679 |
| Marsdeniæ, sp., .. .. .. .. | 385A. | „ x. .. | 52 |
| Marsdenia tinctoria, .. .. .. .. | 389 | .. | 52 |
| Martynia diandra, .. .. .. .. | 442 | „ ii. .. | 167 |
| Melastomaceæ, .. .. .. .. | 585 | „ viii. | 674 |
| Melastomaceæ, .. .. .. .. | 635, 638 | .. | 674 |
| Melastoma glauca, .. .. .. .. | 637 | .. | 675 |
| Melia excelsa, .. .. .. .. | 535 | „ v.,.. | 499 |
| Meliloti, sp., .. .. .. .. .. | 578 | .. | 437 |
| Menispermea,.. .. .. .. .. | 414 | „ i. ii. | 315, 318 |
| Menispermum triandrum,.. .. .. .. | 497 | „ i. .. | 314 |
| Mephetidiæ, sp., ... .. .. .. | 474 | „ iv... | 267 |
| Mephetidiæ, sp., .. .. .. .. | 476 | .. | 267 |

| | Plate. | Notulæ page. |
|---|---|---|
| Menispermeæ, .. .. .. .. | 486 fig. iii.. . | 317 |
| Microcarpæa diandra, .. .. .. .. | 417 „ ii. .. | 101 |
| Millingtonia simplicifolia, .. .. .. .. | 442 .. | 162 |
| Mimulus assamicus, Gr, .. .. .. .. | 458 „ 8, 9, | 99 |
| Mitrasacme crystallina, .. .. .. .. | 383 „ ii. .. | 87 |
| Modocopsis vaga, Gr., .. .. .. .. | 628 .. | 633 |
| Monocara tricanthera, Gr., . .. .. | 619 „ iii.. . | 518 |
| Monosoma littorata, Gr., .. .. .. 585 fig. iii. | 585 „ viii. | 502 |
| Monotropæ, sp., .. .. .. .. | 523 „ i. .. | 304 |
| Myosotis, sp., .. .. .. .. .. | 456 „ i. ii. | 201 |
| Myosotis anchusiformis, Gr., .. .. .. | 457 „ i. .. | 202 |
| Myriophyllum tetrandrum, .. .. .. .. | 644 .. | 686 |
| Myriopteron, .. .. .. .. .. | 408 „ i. .. | 71 |
| Namazeylanica, .. .. .. .. | 481 „ ii. .. | 283 |
| Natsiatam gamosepalum, .. .. .. .. | 493 .. | 330 |
| Natsiatam, .. .. .. .. .. | 496 „ i. .. | 330 |
| Nepenthes, .. .. .. .. .. | 532 .. | 352 |
| Ochna crocea, .. .. .. .. | 605 „ vi. .. | 464 |
| Ocymii, sp., .. .. .. .. .. | 459 „ iii... | 199 |
| Olax loranthifolia, .. .. .. .. | 645 „ v. .. | 691 |
| Osbeckæoidea, .. .. .. .. | 639 „ i. .. | 675 |
| Ophiorizæ, sp., .. .. .. .. | 475 .. | 264 |
| Osyris nepolensis, .. .. .. .. | 540 „ i. .. | 376 |
| Osyris rotundata, .. .. .. .. | 627 „ ii. .. | 742 |
| Oxalis, sp., .. .. .. .. .. | 540 „ iii. .. | 457 |
| Oxalis, .. .. .. .. .. | 540 „ ii. .. | 456 |
| Oxystelma esculentum, .. .. .. .. | 399, 400 .. | 62 |
| Paraplexis, sp., .. .. .. .. | 577 „ i. . | 462 |
| Parnassia nana, Gr., .. .. .. 570 „ ii. | 611 „ iii. .. | 428 |
| Parnassiæ, sp., .. .. .. .. | 570 „ i. .. | 277 |
| Passerina costata, Gr., .. .. .. .. | 535 .. | 346 |
| Passerina diarthronoides, Gr., .. .. .. | 534 .. | 365 |
| Passifloræ, sp., .. .. .. .. | 605 „ iv. .. | 572 |
| Pœderia fætida, .. .. .. .. | 479 „ iii.. . | 267 |
| Pæderiæ, sp., .. .. .. .. .. | 479 „ iv. .. | 268 |
| Periploca, .. .. .. .. 386A. „ iii. | 407 „ ii. .. | 72 |
| Peronema canescens, .. .. .. .. | 448 „ iii. .. | 177 |
| Phlogacanthus curviflorus, Gr., .. .. .. | 425 .. | 145 |
| Phyllanthi, sp., .. .. .. .. | 584 „ v. .. | 457 |
| Phyllanthi, sp., .. .. .. .. | 584 „ i. .. | 474 |
| Phytocrene calicarpa, .. .. .. .. | 490 „ i. .. | 327 |
| Phytocrene gigantee, .. .. .. .. | 490 „ ii. .. | 329 |

| | PLATE. | NOTULÆ PAGE. |
|---|---|---|
| Phytocrene macrocarpa, Gr., | 487, 488 | 322 |
| Phytocrene stylocarpa, | 479 | 320 |
| Pierardiæ, sp.. | 585A. FIG. XV.. | 738 |
| Pinus deodar, | 364 | 19 |
| Pinus excelsa, | 366 | 18 |
| Pinus Griffithii, | 362 | 17 |
| Pinus khasyanus, Gr., | 367, 368 | 18 |
| Pinus longifolia (Bootan), | 369, 370 | 18 |
| Pinus longifolia (Pushut), | 165 „ 1, 2, 3 | 17 |
| Pinus spinulosa, Gr., | 253 | 17 |
| Plectranthi, sp., | 469 „ ii. | 199 |
| Plantago, sp., | 563 | 213 |
| Plantago, sp., | 462 | 213 |
| Platystemma violoides, | 460 „ viii. | 149 |
| Plumbago zeylanica, | 461 „ iii. | 208 |
| Podostemon Wallichiana, Gr., | 541, 542, 543 | 379 |
| Podostemon Griffithii, | 541 „ ii. 544 | 376 |
| Polygalæ, sp., | 597 | 536 |
| Pomaceæ, | 573 | 454 |
| Pomaceæ, sp., | 573 | 454 |
| Populus rotundifolius, Gr., | 546 | 482 |
| Potaliæ, sp., | 383 „ i. | 35 |
| Premna herbacea, | 448 „ i. | 106 |
| Prenanthes, sp., | 469 | 251 |
| Primulæ, | 485 | 299 |
| Prinsepia utilis, | 589 „ i. | 432 |
| Psychotria, | 479 „ ii. | 268 |
| Pterostigma stricta, | 417 „ iii. | 96 |
| Punica granata, | 634 | 641 |
| Ranunculi, sp., | 661 | .. |
| Rhamni, sp., | 586 „ i. | 494 |
| Rhizophora caryophylloides, Gr., | 642 | .. |
| Rhizophora stylosa, Gr., | 640 | 665 |
| Rhododendron, sp., | 518 „ i. | 303 |
| Rhododendron deflexum, Gr., | 519 | 303 |
| Rhododendron, sp., | 519 | 503 |
| Rhododendron macronthum, | 520 | 303 |
| Rhododendron oblongum, | 522 | 303 |
| Rosa hetrostyla, Gr., | 574 | 454 |
| Roydsia parviflora, Gr., | 607 „ i. | 578 |
| Roydsia suaveolens, | 626 | 578 |
| Rubiaceæ, sp., | 479 „ i. | 274 |

| | Plate. | Notulæ page. |
|---|---|---|
| Rungiæ parviflora, | 463 | 144 |
| Sabiæ, sp., | 468 fig. ii. | 423 |
| Salacia myrtifolia, Gr., | 619 „ ii. | 470 |
| Salacia tortuasa, Gr., | 581 „ ii. | 471 |
| Salaciæ, sp. | 582 „ 2 | 471 |
| Salomomonia angulale, Gr., | 585A. „ xvi. | 539 |
| Salomonia parasitica, Gr., | 598 „ v. | 538 |
| Salsolæ, sp., | 523 „ ii. | 339 |
| Salvia plectranthoides, | 410 | 199 |
| Sapindaceæ, sp., | 599 „ i. ii. | 550 |
| Sapoteæ, sp., | 501 | 291 |
| Sarcolobi, | 405 | 55 |
| Sarcolobus carinatus, | 410 | 58 |
| Sarcodiscus chloranthiformis, Gr., | 545 | 380 |
| Sarcopyramis grandiflora, Gr., | 639 „ ii. | 678 |
| Saxifroga adoxidea, | 570 „ iii. | 328 |
| Scepaceæ, sp., | 565 „ iv. | 407 |
| Schæpfiæ, sp., | 629 | 639 |
| Scleromphali, sp., | 414 „ i. | 96 |
| Sedum, sp., | 568 „ i. | 427 |
| Slackiæ, sp., | 433 | 158 |
| Solanum trilobatum, | 414 „ ii. | 94 |
| Sonneratia apetala, | 636 „ iv. | 650 |
| Spirostemon spiralis, Gr. | 411 „ i. | 80 |
| Sphærostemma Blumiana, | 651 „ i. 654 „ ii. | 714 |
| Sphærostemma, | 654, 651 „ ii. | 36 |
| Stapelia, | 388 „ 13 and 14 | 208 |
| Statice, sp., | 461 „ i. | 208 |
| Stauntonia filamentosa, Gr., | 495 „ i. | 334 |
| Stauntonia trifoliata, Gr., | 495 „ ii. iii. | 330 |
| Stauragyne argentea, | 440 „ i. | 149 |
| Staurothyrax, Gr., | 584 „ vi. | 476 |
| Stemodiæ, sp., | 421 | 99 |
| Streptocaulon, sp., | 406 | 71 |
| Strychnos nuxvomica, | 411 „ ii. | 82 |
| Styrax grandiflora, Gr., | 423 | 287 |
| Sunaptea odorata, Gr., | 585A. „ v. | 516 |
| Syndesmis coarctatus, | 567 „ i. | 409 |
| Tamarix dioica, | 577 „ ii. | 465 |
| Tauscheriæ, sp., | 610 | 580 |
| Taxi, sp., | 375 | 28 |
| Taxus contortas, Gr., | 376 | 28 |

| | Plate. | | Notulæ page. |
|---|---|---|---|
| Terminalia lancifolia, Gr., | 644 | fig. iv. | 685 |
| Ternstrœmiaceæ, sp., | 604 | „ iii. | 568 |
| Tetrantheræ, sp., | 533 | | 355 |
| Thibaudia auriculata, Gr., | 508 | | 300 |
| Thibaudia camelifolia, Gr., | 516 | | 301 |
| Thibaudia gaultherifolia, Gr., | 512 | | 301 |
| Thibaudia glabra, Gr., | 514 | | 301 |
| Thibaudia myrtifolia, Gr., | 510 | | 301 |
| Thibaudia obliqua, Gr., | 515 | | 301 |
| Thibaudia retusa, Gr., | 509 | | 300 |
| Thibaudia revoluta, Gr., | 513 | | 301 |
| Thibaudiæ, sp., | 514A. | | 301 |
| Thuja orientalis, | 378 | „ i. ii. | 21 |
| Tittmanniæ, sp., | 458 | „ 13 | 116 |
| Thottea grandiflora. | 533, 531 | | 346 |
| Torenia asiatica, | 418 | „ i. | 123 |
| Torenia calcarata, | 458 | „ 14 | 124 |
| Toxocarpus, | 414 | | 69 |
| Toxocarpus Roxburghii, | 386 | „ iv. v. | 68 |
| Treisteria assamica, Gr., | 3, 420 | | 111 |
| Treisteria lanceolata, Gr., | 3, 458 | „ 6 | 111 |
| Tylophoræ, sp., | 316A. | „ ix. | 53 |
| Urticæ, sp., | 562 | „ iii | 404 |
| Uvaria heteroclita, | 649 | „ ii. | 711 |
| Vaccinii, sp., | 517A. | | 300 |
| Valerianæ, sp., | 464 | | 213 |
| Valeriana violifolia, Gr., | 465 | | 213 |
| Volkameria, sp., | 444 | | 196 |
| Vandellia pedunculata, | 418 | „ ii. | 120 |
| Vandellia scabra, | 418 | „ iv. | 122 |
| Ventilago, sp., | 585 | „ iii. | 492 |
| Verbenaceæ, sp., | 446 | | 195 |
| Verbenaceæ, | 460 | | 196 |
| Veronica, sp., | 419 | „ ii. | 126 |
| Veronica, sp., | 458 | „ 7. | 128 |
| Viburuum, | 480 | „ i. | 259 |
| Villarsia cristata, | 386A. | „ xii. | 88 |
| Villarsia glandulosa, Gr., | 385 | | 89 |
| Violæ, sp., | 607 | „ ii. | 575 |
| Visci, sp., | 632 | | 636 |
| Viscum aphyllum, | 630 | | 634 |
| Viscum monoicum, | 931 | | 637 |

| | Plate. | Notulæ page. |
|---|---|---|
| Vitex gamosepala, .. .. .. .. | 441 fig. ii. .. | 178 |
| Vitis, .. .. .. .. .. | 645 „ ii. .. | 699 |
| Wormia suffruticosa, .. .. .. .. | 649 „ i. .. | 706 |
| Wrigtia, sp.. .. .. .. .. .. | 386 .. | 82 |
| Wulfenia obliqua, .. .. .. .. .. | 419A. .. | 29 |
| Xanthophyllum eglandulosum, Gr., .. .. .. | 598 „ iv... | 537 |
| Ximinea scandens, .. .. .. .. | 644 „ iii... | 691 |
| Zanonia, .. .. .. .. .. | 617 „ iii. vi. | 596 |
| Zanonia clavigera, .. .. .. .. | 617 „ iv... | 598 |
| Zizyphi, sp., .. .. .. .. .. | 585 .. | 492 |

BENGAL SECRETARIAT LIBRARY





1.2 *Cycas Jenkinsiana* 3 *Cycas pectinata*




Cycas Circinalis.




I *Cycas Jenkinsiana* Griff. II *Cycas Macrocarpa*.



*Pinus Spinulosa*



Pinus deodar




*Pinus Griffithii*



Pinus excelsa



*Pinus khasyanus Griff.*



Pinus khasyanus Griff.

*Pinus longifolia*



*Pinus longifolia*

4113



Abies Webbiana




Cupressus torulosa.



*Juniperus recurva.*

*Juniperus recurva*



Taxi



*Taxus contorta* Griff.




I. II. Thuja orientalis. III. Cycas.




Gnetum




*Agathis loranthifolia*




I *Ephedra asparagina* II *Gnetum*.



Fagraea obovata

I Potalia II Mitrasacme crystallina Griff.




I Gentiana II Gentiana pumila



Villarsia eglandulosa Griff

Wrigtia.


I
II
1
2
3
4
III
IV
V
VI
VII
VIII
IX
X
XI
XII
XIII




*Hoya viridiflora.*




Hoya viridiflora.



*Marsdenia tinctoria*



Dischidia.




Dischidia




Dischidia



Dischidia




Gymnema




*Gymnema*




Calatropis

*Calatropis gigantea.*



*Oxystelma esculentum*

BENGAL SECRETARIAT LIBRARY




*Oxystelma esculentum*




*Cynanchum inconspicuum* Griff.

I *Cynanchum viridiflorum*




Asclepiadeæ Nov. Genus.




Asclepiadeæ Gen. Novum




Sarcolobus




Streptocaulon.

I Finlaysonia obovata.




Myriopteron.



Dischidia.



*Sarcolobus* carinatus.




I *Dischid.* Brunonian. II *Hoya* Viridiflora VIII *Dischid.* Albiflora




I Spirastemon. II Strichnos nuxvomica

Hyoscyamus

Hyoscyami.

I. Scleromphalos II. Solanum tri lobatum.




W. Griffith del.

Lycium Lanescens Gr.



Lycium

II. *Limnophilæ sp*




I Cardiolophus II Microcarpia III Pterostigma




I. *Torenia asiatica*. II *Vandellia pedunculata*. III *Bonnaia brachiata*.
IV *Vandellia scabra*. V *Limnophila sessiliflora*. VI *Dopatrium junceum*.




I *Buchneræ* sp: II *Veronicæ* sp:



*Wulfenia obliqua*

Icon: Plant: Asiat: Pl: CCCCXX.



Scrophularinea.

*Stemodiæ sp:*



Buddlæa.




I. Styrax grandiflora Griff. II. Aginetiæ sp.




Adhatoda.



Acanthaceæ.



Justiciæ. sp

*Acanthus carduaceus.*

Acanthaceæ.

Cyrtandraceæ

Cyrtandracea.

Cyrtandracea

Cyrtandracea



Cyrtandracea

Cyrtandracea.

Cyrtandracea.

Cyrtandracea.

Cyrtandracea.

*Chiliandra obovata* Griff.



Cyrtandracea




I. *Staurogyne argentea*. II. *Aikinia brunonis*.
III *Didymocarpus oblonga*. IV *D. aromatica*. V. *Aeschynanthus ramosissimus*.
VI *Lysionotus ternifolius* VII *Clinta grandiflora*. VIII *Platystemma violoides*.




Æschynanthus.




I. Millingtonia simplicifolia.

Gmelina arborea

*Volkameriæ sp.*




Clerodendron.




Verbenaceæ.




I. Premna herbacea II. Callicarpa lanata




Verbenaceæ




I Lamii sp: II Plectranthi sp III Ocymi sp.



*Salvia plectranthoides.*




Boragineæ.




Boragineæ.

Boragineæ.

Borragineæ.

*Boragineæ*

*Boragineæ*

Boragineæ.






W. Griffith del.

*Ehretia serrata*




Verbenaceæ.

I. Statice sp. II. Ogiatilis rotundifolia III. Plumbago zeylanica




W. Griffith del.

Plantago sp.



W. Griffith del.

Plantago.

W. Griffith del:

Valerianæ. sp.



W. Griffith del:

*Valeriana violifolia* Gr



W. Griffith del.

Compositæ



W. Griffith del.

*Gnaphalii sp.*




W. Griffith del:

*Gnaphalii sp.*



Griffith del.

Prenanthes sp.



W. Griffith del.

Composita.



W. Griffith del.

Cirsii



W. Griffith del.

Galium.




W. Griffith del.

Galiaceæ




W. Griffith del.

Rubiaceæ.

W. Griffith del.

Ophiorhizæ sp.



W. Griffith del.

Mophetidiæ sp



W. Griffith del.

*Kohautia*



W. Griffith del.

*Epithinia malayana*




I. II. Rubiaciæ. III. Pæderia fœtida IV. Pæderiæ sp.




I Viburnum II Loniceræ sp.




W. Griffith del.

1 Cyclocodon distans Gr.

W. Griffith del.

Codonopsis.

W. Griffith del.

Campanulæ

W. Griffith del.

*Lysimachiæ sp.*




W. Griffith del.

Primulæ.

I Cunoniaceæ II Cissampelos III Menispermeæ

W. Griffith del.

Phytocrene.




Phytocrene

W. Griffith del.

Phytocrene



I Phytocrene sp. Griff. II Phytocrene gigantea.

W. Griffith del.

Menispermacea

W. Griffith del.

Clypeæ sp.



W. Griffith del.

Natsiatum




W Griffith del.

*Menispermeæ.*




W. Griffith del.

Stauntoniæ




W. Griffith del.

I. Natsiatum II. Cissampelos.




W. Griffith del.

I. Menispermum triandrum II Clypea III Cissampelos




W. Griffith del.

*Edgeworthia*

W. Griffith del.

Choripetalum.

BENGAL SECRETARIAT LIBRARY




I Choripetalum II Bæobotrys indica Roxb.



W. Griffith del.

Sapoteæ sp.



W. Griffith del.

Ceratostemma variegatum

W. Griffith del.

*Ceratostemma angulatum* Gr.

W. Griffith del.

Ceratostema miniatum Gr.

W. Griffith del.

Ceratostema nanum Gr.



W. Griffith del.

Gaylussacia incurvata Gr.




Gaylussacia serrata

Wight del.

Thibaudia auriculata Gr.



W. Griffith del.

Thibaudia retusa Gr.



W Griffith del.

Thibaudia myrtifolia

W. Griffith del.

Thibaudia gaultherifolia

W. Griffith del.

Thibaudia revoluta



W. Griffith del.

Thibaudia.



W. Griffith del.

Thibaudia glabra Gr.

W. Griffith del.

Thibaudia obliqua Gr.



W. Griffith del.

*Thibaudia camelifolia* Gr.

W. Griffith del.

Gaultheriæ sp.

W. Griffith del.

Vaccinium



W. Griffith del.

I Rhododendron. II Gaultheria

*Rhododendron deflexum* Gpl.

W Griffith del.

*Rhododendron macranthum*




W. Griffith del.

*Chenopodium ilecifolium.*



W. Griffith del:

*Rhododendron sp:*



W. Griffith

Rhododendron oblongum

W. Griffith del.

Belæ sp.

W. Griffith del.

Balsamiflua deltoides Gr.




W. Griffith del.

*Digera arvensis*




Asiphonia piperiforme



W. Griffith del.

*Aristolochiæ sp.*



W. Griffith del.

*Thotteæ grandiflora.*



W. Griffith del.

*Thollea grandiflora.*




W. Griffith del.

Nepenthes



W. Griffith del.

Tetrantheræ sp.



W. Griffith del.

# Passerina diarthronoides.




W. Griffith del.

Thymeleæ




Leptonium oblongifolium




W. Griffith del.

I *Cansiera zizyphifolia*. II *Jenkinsia*. III *Champereya*.



Daphne sp.




W. Griffith del.

Eleagni




I *Osyris nepalensis* II. III. IV. *Oxalis.*




I Podostemon Wallichii. II Podostemon Griffithii



W. Griffith del.

Podostemon Wallichii

W Griffith del.

Podostemon Wallichii



Podostemon Griffithii




W. Griffith del.

*Sarcodiscus chloranthiformis*



W. Griffith del:

Populus rotundifolius. Gr.



W. Griffith del.

Chloranthes.




W. Griffith del:

# Gymnobotrys.



W. Griffith del:

Ficus sp:

W. Griffith del.

*Ficus terminalioides Gr.*

W. Griffith del:

I *Ficus obovata* Gr. II *Ficus sideroxylifolia* Gr.

W. Griffith del:

Ficus elastica

W. Griffith del.

*Ficus affinis Gr.*



W. Griffith del.

I *Ficus pelucidipunctata.* II *Ficus papyrifera*




W. Griffith del.

I. Ficus mangifera. I. Ficus aurantiaceus.

W. Griffith del.

I. *Ficus millingtonifolia* II *Ficus intermedia* Gr.




W. Griffith del.

I *Ficus caudata* II *Ficus sp.* III. *Ficus rubifolia* Gr.

W. Griffith del.

*Ficus sclerocarpa* Gr.




W. Griffith del.

I. *Ficus bistipulata* Gr. II. *Ficus longipes* Gr.

W. Griffith del.

Ficus oppositifolia Gr.

W. Griffith del.

*Fici sp.*




W. Griffith del.

I *Cephalanthus spinosus* II *Urtica* III *Henslovia*




W. Griffith del.

Bœmeriæ




W. Griffith del.

Henslovia




W. Griffith del.

I *Carpinus* II *Asteropetalum* III *Anacardium occidentalis*




W. Griffith del.

I *Boswellia* II *Odina pinnata*




W. Griffith del.

I *Syndesmis coarctata* II *Mangifera cæsia* III *M. lagenifera*




W. Griffith del.

I Sedum II Sabia.




W. Griffith del.

Hydrangeæ



W. Griffith del

I Parnassiæ sp II P. nana Gr. III Saxifraga odoxioides Gr.



W. Griffith del

Hydrangeacea Gen Nov



W. Griffith del.

*Cratœgus*

W. Griffith del:

Pomacea

W. Griffith del.

Rosa.



W. Griffith del.

Coriaria nepalensis.




W. Griffith del.

Impatiens.




W. Griffith del

I *Paraplex* II *Tamarix dioica* III *Cytisus.*




W. Griffith del.

Melilotus

W. Griffith del.

Caryophyllea




W. Griffith del.

I *Prinsepia utilis* II *Dianthus*.




W. Griffith del.

*Hippocratea angulata Gr.*



W. Griffith del.

I *Hippocratea* Serrata Gr.



W. Griffith del.

Excaecaria.




W. Griffith del:

Euphorbiaceæ




W. Griffith del.

I. to VII. Rhamnaceæ VIII. Melastomaceæ

W. Griffith. del.

Sections of ovaries &c.




W. Griffith del:

I *Rhamnea* II. III *Aurantiaceæ*.




Aurantiaceæ




W. Griffith del:

II Conocarpus, II Guarea




W. Griffith del:

I Aglaia, II Ixonanthes.




W. Griffith del:

Lythraceæ



W. Griffith del

*Leptospartion grandiflora*




W. Griffith del:

1 Sagerstræmia parviflora




W. Griffith del

Anisadeniæ



W. Griffith del:

# Hetropyxis.



W. Griffith del:

Kydia jujubifolia.




W. Griffith del.

I *Durio zebithinus*




W. Griffith del.

Polygalæ sp




*Cardiopteris*

Sapindaceæ

BENGAL SECRETARIAT LIBRARY

Gordoniæ. sp.




I, III, *Camellia Theifera* Gr. II, *Camellia Caudata* Gr.



*Camellia Thea Bohea*




I. II. Camellia Theifera III, Eusynaxis Barringtoniifolia IV, Dalhousiae




Fernstrœmiaceæ

W. Griffith del.

I. II. III. *Hypericaneæ* IV. V. VI. *Passifloræ Sp.*



W. Griffith del.

*Roydsia suaveolens*




I Roydsia parviflora Gr. II Viola.




W. Griffith del.

Capparis Sp.




W. Griffith del.

*Hyperanthera* Moringa.




*Taucheria*



W. Griffith del.

I Draba.




W. Griffith del:

Begoniæ Sp.

W. Griffith del:

Humalineæ.




W. Griffith del.

Cucurbitaceæ.



W. Griffith del.

Cucurbitaceæ.




W. Griffith del.

Cucurbitaceæ




W. Griffith del.

Cucurbitaceæ

W. Griffith del:

Loranthus bicolor




W. Griffith del:

I. Loranthus leucosiphon Gr. II Salacia myrtifolia Gr.




W. Griffith del.

# Loranthus farinaceus




Loranthus leucosiphon.



W. Griffith del.

*Loranthus leucosiphon* Gr.




W. Griffith del.

*Loranthus leucosiphon*, Gr.



W. Griffith del:

*Loranthus pentapetalus*




W. Griffith del.

*Loranthus pentapetalus*




W. Griffith del.

Loranthus coccineus.

W. Griffith del.

Loranthus oleoides

W. Griffith del.

*Modecopsis vaga* Gr.

W. Griffith del.

Schœpfia Sp.




W. Griffith del.

*Viscum aphyllum*

W. Griffith del.

*Viscum monoicum*



Griffith del.

*Viscum*




W. Griffith del.

Hamamelida

W. Griffith del.

*Punica granata*




W. Griffith del.

*Careya herbacea, II Cornus.*




W. Griffith del.

*Barringtonia conoidea Gr.*




W. Griffith del.

I Barringtonia conoidea Gr. II B. racemosa




W. Griffith del.

*Melastoma glanca*

W. Griffith. del.

Melastomaceæ




W. Griffith del.

I *Osbeckioidea* II *Sarcopyramis* III *Marlea begonifolia Roxb.*




Rhizophora Stylosa Gr.




W. Griffith del.

*Bruguiera parietosa* Gr.



W. Griffith del.

*Rhizophora caryophylloides*, Gr.

W. Griffith, del.

Combreti Sp.




1 *Leea* *Sambucina*




Lumnitzera

W. Griffith del.

Vitis




*Embamma caudigera* Gr.




W. Griffith del.

*Leontice secunda* Gr.



W. Griffith del.

*Berberis asiatica*

Icon: Plant: Asiat: Pl. DCXLIX.




W. Griffith del.

Wormia suffruticosa




W. Griffith del.

*Cyathostemma viridiflorum*




I *Anonacea* II *Sphærostemma*



W. Griffith del.

Anonaceæ

1

W. Griffith del.

*Tyalostemma*

W. Griffith del.

Anonacea.

W. Griffith del.

Magnolia

Icon. Plant. Asiat. Pl. DCLVI

W. Griffith del.

Magnolii



W. Griffith del.

Euryale ferox




I Fumaria affinis. II. III Corydalis.



W. Griffith del.

*Hypecoum*



W. Griffith del.

I Anemone synosurus II Coptis teeta III Aconitum



W. Griffith del.

Ranunculi Sp.